



**Dirt Road Riding USA** 

# OFF-ROAD CATALOG





Sales@DRRUSA.com



# OUR MISSION & CORE VALUES

#### **MISSION STATEMENT:**

Exceed worldwide safety regulations, while providing best in class products and customer service.

## F.A.C.E.S.

#### FOREVER

The memories you make while riding and the people you meet along the way; You will remember **forever.** 

#### ACTION

Visualize your dreams and take action. When you take action you will learn and grow from it.

#### **CUSTOMER FIRST**

At DRR USA, all of our decisions and products are **inspired** with our customers in mind.

#### ENTHUSIASM

Love what you do! There is nothing like the **excitement** and **passion** we feel, knowing families from all around the world enjoy our products with their friends and famiy.

#### SAFETY

**Safety matters!** DRR USA was founded with safety in mind for our family. Making your family's safety also our #1 priority.











MANUFACTURER OF ATVS,

#### HEADQUARTERED IN BRUNSWICK, OHIO.



## HISTORY

2000- Dirt Road Riding USA was founded by Kim and Lou DeCuzzi. After experiencing an ATV accident involving thier oldest son. DRX 50 2001--DRR USA developed & DRX 90 improved safety Safety Features: Lowest seat height features, giving Kim and Widest wheelbase Lou peace of mind while riding ATVs with their Dual gas-charged adjustable shocks children. Resulting in an ATV with exceptional handling characteristics. 600 UT 2008 Marks the beginning of DRR USA producing adult ATVs. A CONTRACTOR OF THE The section of the se - Innovation and desire to help others expands DRR USA into new territory! Inspired by 2018 search and rescue, DRR USA created fully electric ATVs in order to hear people in need. They can also be used for eco tours, hunting, farming, leisure activities and more! EV SAFARI STEALTH E-ATV Fully electric UTVs! 2022

With products approved by the American Motorcycle Association, DRR USA provides a variety of CPSC and EPA compliant vehicles from youth to adult and from gas to electric.

WWW.DRRUSA.COM SALES@DRRUSA.COM 330-220-3102

# DRX 50 13 Youth Gas ATV 6+

## Water Cooled, 2 Stroke Engine

50cc

Photographed using highly skilled, race-sanctioned operators under adult-supervision and controlled conditions. Warning: Improper ATV use can result in severe injury or death. Vehicle depicted in top image is altered and has been modified by the owner after purchase. DRR USA manufactures CPSC and EPA compliant vehicles.

#### DUAL A-ARM SUSPENSION



Preloaded adjustable gas shocks with up to 7½ inches of travel for superior performance.

## WAVE ROTORS



Disk brakes that maximize pad-to-rotor contact providing excellent stopping force, while keeping the brakes clean and cool for life longevity.

#### FULLY-ENCLOSED FLOORBOARDS



Protects riders from debris and toe overlap for a safer riding experience.

#### THROTTLE LIMITER



Allows parents to adjust the top speed of the quad to their child's ability.



The DRX 50 has a powerful two-stroke engine, with first class performance and safety features. The 50cc debuted in 2000, as one of our first product designed with youth safety in mind. These gas mini ATVs are approved for AMA and GNCC use.



#### ENGINE

Size: 50cc Water Cooled

Stroke: 2-Stroke

Starting System: Electric & Manual Kick Start

**Features:** PWK D Slide High Performance Carburetor\*\*\*

**Features:** Handmade, works style, 2 piece performance expansion chamber\*\*\*

**Features:** High Performance Intake Manifold with fiberglass reeds for smooth acceleration





Transmission: Fully Automatic CVT Features: Mallossi style torsion and clutch springs with a light weight performance clutch\*\*\*

Slipper Sprocket: 19-Tooth Slipper sprocket Drive: 2WD

#### SAFETY

Features: Fully-Enclosed Floorboards
Features: Throttle Limiter
Features: Safety/Engine Stop Tether
Features: Rev Limited CDI Box
Spark Arrestor: US Forestry Approved
Lights: Daytime Running Lights, Brake Lights
Reflectors: Front, Rear, and Side Reflectors
Seat: Gripper Seat

#### CHASSIS

**Front Suspension:** Dual A-Arm, Gas Charged, Adjustable, AMA-Compliant, Piggyback Shocks

**Rear Suspension:** DRR USA Engineered, Extended Square Tube Swing Arm, Adjustable Remote Reservoir Mono-Shock\*\*\*

**Front Brake:** Closed Hydraulic 7.25" Dual Disc Wave Rotor Braking System

Rear Brake: Super Stop Foot Brake System with Single 7.25" Cross Drilled Wave Rotor Anodized Brake Calipers

Front Tire: 21x7.00-10 Rear Tire: 17x7.00-7 Length: 59" (149.86 cm) Width: 41" (104.14 cm) Height: 39" (99.06 cm) Seat Height: 25" (63.5 cm) Wheelbase: 40" (101.6 cm) Dry Weight: 232 lbs Ground Clearance: 8" (20.32 cm)

#### All specs are subject to change without notice.

www.DRRUSA.com 330-220-3102 sales@DRRUSA.com

*WARNING:* NEVER permit children under the age of 6 to operate any ATV. 50cc to 70cc ATVs are only recommended for riders 6 years and older and can only be used with adult supervision. Operation of a 50cc to 70cc ATV by children under the age of 6 increases the risk of severe injury or death. Adult supervision required for children under the age of 16. In addition, all Y6 ATVs are speed restricted and should never be altered in such a way which would remove the speed restrictions. DRR USA recommends that all riders take an approved safety course before riding. For safety course information contact your dealer or call 949-727-3727. ATVs can be hazardous to operate and improper ATV use can result in severe injury or death. *For Your Safety*: Always use an approved helmet, goggles and protective gear. Never use on public roads. Never operate without proper training or instruction. Never operate at speeds too fast for your skills or the conditions. Never operate on public roads a collision can occur with another vehicle. Never operate with a passenger, passengers affect balance and steering increasing the risk of losing control. Always use proper riding techniques to avoid vehicle overturns on hills, especially on rough terrain and during turns. Always avoid paved surfaces pavement may seriously affect handling and control. Please locate and read owner's manual.

WWW.DRRUSA.COM SALES@DRRUSA.COM 330-220-3102

# DRX 90 ES Youth Gas ATV 12+

90

WATER COOLED, 2 Stroke Engine

> The 44" width allows easier handling for riders. A wider quad has more stability, making it a safer for riders.

Photographed using highly skilled, race-sanctioned operators under adult-supervision and controlled conditions. Warning: Improper ATV use can result in severe injury or death. Vehicle depicted in images are altered and has been modified by the owner after purchase. DRR USA manufactures CPSC and EPA compliant vehicles.

" WIDT

Similar to our DRX 50, this model is built for top performance, including: **Dual A-Arm Suspension, Wave Rotors, Throttle Limiter, and More!** 



#### SQUARE TUBE EXTENDED SWING ARM



DRR USA engineered this extended square tube swing arm to allow maximum control and traction of the ATV. This provides the rider with a better handling experience.

#### SLIPPER SPROCKET



Designed to reduce damage to the transmission, under heavy usage.



The DRX 90 has a powerful two-stroke engine designed for first class performance. The 44" width allows safer and easier handling. These gas mini ATVs are approved for AMA and GNCC use.



#### ENGINE

Size: 90cc Water Cooled

Stroke: 2-Stroke

Starting System: Electric & Manual Kick Start

**Features:** PWK D Slide High Performance Carburetor\*\*\*

Features: Handmade, works style, 2 piece performance expansion chamber\*\*\*

Features: High Performance Intake Manifold with fiberglass reeds for smooth acceleration



Transmission: Fully Automatic CVT

POWERTRAIN

Features: Mallossi style torsion and clutch springs with a light weight performance clutch\*\*\*

Slipper Sprocket: 19-Tooth Slipper sprocket Drive: 2WD

#### SAFETY

Features: Fully-Enclosed Floorboards Features: Throttle Limiter Features: Safety/Engine Stop Tether Features: Rev Limited CDI Box Spark Arrestor: US Forestry Approved Lights: Daytime Running Lights, Brake Lights Reflectors: Front, Rear, and Side Reflectors Seat: Gripper Seat

#### CHASSIS

Front Suspension: Dual A-Arm, Gas Charged, Adjustable, AMA-Compliant, Piggyback Shocks

Rear Suspension: DRR USA Engineered, Extended Square Tube Swing Arm, Adjustable Remote Reservoir Mono-Shock\*\*\*

Front Brake: Closed Hydraulic 7.25" Dual Disc Wave Rotor Braking System

Rear Brake: Super Stop Foot Brake System with Single 7.25" Cross Drilled Wave Rotor Anodized Brake Calipers

Front Tire: 21x7.00-10 Rear Tire: 17x7.00-7 Length: 59" (149.86 cm) Width: 44" (111.76 cm)\*\*\*Widest Factory Made Height: 39" (99.06 cm) Seat Height: 25" (63.5 cm) Wheelbase: 40" (101.6 cm) Dry Weight: 232 lbs Ground Clearance: 8" (20.32 cm)

#### All specs are subject to change without notice.

www.DRRUSA.com 330-220-3102 sales@DRRUSA.com

WARNING: NEVER permit children under the age of 12 to operate this ATV. Operation of a 90cc ATV by children under the age of 12 increases the risk of severe injury or death. Adult supervision required for children under the age of 16. In addition all Y12 ATVs are speed restricted and should never be altered in such a way which would remove the speed restrictions. DRR USA recommends that all riders take an approved safety course before riding. For safety course information contact your dealer or call 949-727-3727. ATVs can be hazardous to operate and improper ATV use can result in severe injury or death. For Your Safety: Always use an approved helmet, goggles and protective gear. Never use on public roads. Never operate without proper training or instruction. Never operate at speeds too fast for your skills or the conditions. Never operate on public roads a collision can occur with another vehicle. Never operate with a passenger, passengers affect balance and steering increasing the risk of losing control. Always use proper riding techniques to avoid vehicle overturns on hills, especially on rough terrain and during turns. Always avoid paved surfaces pavement may seriously affect handling and control. Please locate and read owner's manual.

WWW.DRRUSA.COM SALES@DRRUSA.COM 330-220-3102

# 450 XC IS Adult Gas ATV 16+

## 52hp

**450cc** Liquid Cooled, 4 Valve, Single Cylinder Engine

Photographed using highly skilled, race-sanctioned operators under controlled conditions. Warning: Improper ATV use can result in severe injury or death.

#### DUAL A-ARM SUSPENSION



These shocks have adjustable cushioned rebound and preload for optimal performances.

#### ALUMINUM SWING ARM



Increase your stability with our Performance Aluminum Swing Arm, Gas Charged, Remote Reservoir Adjustable Mono-Shock.

#### WAVE ROTORS



Wave rotors have the best friction surface of any stainless steel brake rotor providing excellent stopping force. This also keeps brakes clean and cool for life longevity.



The 450 XC has a 52-horsepower liquid-cooled, single-cylinder engine built for speed. It has 5 speed manual transmission along with:gas charged adjustable shocks, dual a-arm front, and an aluminum swing arm rear suspension for the most demanding terrain.



#### ENGINE

Size: 450cc Liquid Cooled, 4 Valve, Single Cylinder Stroke: 4-Stroke

Features: 52.4 Available HP (tuned to 36hp)

Features: 449cc Displacement

Starting System: C.D.I. Electric

Features: Chain/Oil-seal Chain 520 Features: Carburation BDS42 TYPE

#### POWERTRAIN



Transmission: Manual 5-Speed with Reverse Drive: 2WD

#### SAFETY

Features: Partial footwell with additional netted area
Spark Arrestor: US Forestry Approved
Lights: Head Light & Tail Light, Daytime Running
Reflectors: Side Reflectors
Seat: Gripper Seat

#### CHASSIS

**Front Suspension:** Dual A-Arm, Gas Charged, Adjustable, AMA-Compliant, Piggyback Shocks

**Rear Suspension:** Aluminum Swing Arm, Gas Charged, Remote Reservoir Adjustable Mono-Shock

**Front Brakes:** Closed Hydraulic 7.25" Dual Disc Wave Rotor Braking System

**Rear Brakes:** Super Stop Foot Brake System with Single 7.25" Cross Drilled Wave Rotor

Front Tires: AT21 x 7.00-10 Rear Tires: AT20 x 11.00-9 Length: 72" (182.88 cm) Width: 48" (121.92 cm) Height: 44" (111.76 cm) Wheelbase: 50" (127 cm) Ground Clearance: 8.5" Dry Weight: 483 lbs Fuel Capacity: 3.7 gal

All specs are subject to change without notice.

www.DRRUSA.com 330-220-3102 sales@DRRUSA.com

**WARNING:** NEVER permit children under the age of 16 to operate this ATV. Operation of a 450cc ATV by children under the age of 16 increases the risk of severe injury or death. DRR USA recommends that all riders take an approved safety course before riding. For safety course information contact your dealer or call 949-727-3727. ATVs can be hazardous to operate and improper ATV use can result in severe injury or death. For Your Safety: Always use an approved helmet, goggles and protective gear. Never use on public roads. Never operate without proper training or instruction. Never operate at speeds too fast for your skills or the conditions. Never operate on public roads a collision can occur with another vehicle. Never operate with a passenger, passengers affect balance and steering increasing the risk of losing control. Always use proper riding techniques to avoid vehicle overturns on hills, especially on rough terrain and during turns. Always avoid paved surfaces pavement may seriously affect handling and control. Please locate and read owner's manual.

# 600 UT/650 UT EN ADULT GAS ATV 16+

WWW.DRRUSA.COM SALES@DRRUSA.COM 330-220-3102

48hp LIQUID COOLED SINGLE CYLINDER ENGINE

16 bit TUNABLE ECU



#### FULL INSTRUMENT PANEL



Easily see your vital information at glance on the digital dash.

Equipt with Electronic Power Steering (EPS) for easy maneuverability.

#### SAFETY LIGHTS



These units come standard with daytime running lights, high beams, and brake lights to signal the rider behind you.

#### DUAL A-ARM SUSPENSION



With up to 9 inches of travel, these shocks have five adjustable pre-loaded settings and variable spring rate for optimal performance.

#### 2X4, 4X4 & 4 WHEEL LOCK



Tackle different terrains and tough jobs with the ability to switch drive systems at the push of a button.



### 600UT/650UT Ages 16+

Get tasks done with a 48 hp, liquid cooled, single cylinder engine powerful enough to tackle tough jobs. Features EPS to combat arm fatigue while riding.

Designed For: Trails, Farmwork, Construction, and More!



#### ENGINE

**Size:** 600cc Liquid Cooled 4 Valve Single Cylinder SOHC

Stroke: 4-Stroke

Features: 48 HP Features: 35lb/ft Torque Features: 608cc Displacement Starting System: 16-bit Tunable ECU

#### POWERTRAIN



Transmission: CVT with Reverse, L/H/N/R Gear
 Features: Pushbutton- 3-way Locking
 Differential with 2WD, 4WD, Locked 4WD
 Shaft Features: Electronic Power Steering (EPS)

#### SAFETY

Features: Fully-Enclosed Floorboards Features: Throttle limiter Spark Arrestor: US Forestry Approved Lights: Head Light & Tail Light, Daytime Running Reflectors: Side Reflectors Seat: Gripper Seat

#### CHASSIS

Front Suspension: Dual A-Arm 5 Way Preload-Adjustable Shocks (9" Travel), IRS

**Rear Suspension:** Dual A-Arm 5 Way Preload-Adjustable Shocks (9" Travel), IRS

Front Brakes: R/L 220mm Disc Brake Rear Brakes: R/L 220mm Disc Brake Front Tires: 25x8.00-12 Rear Tires: 25x8.00-12 Length: 86" (218.44 cm) Width: 48" (121.92 cm) Height: 50" (127 cm) Wheelbase: 50" (127 cm) Ground Clearance: 11.8" (29.97) Dry Weight: 740 lbs Fuel Capacity: 5.5 gal Tow Capacity: 1,400lbs Rack Capacity: Front- 101lbs, Rear- 189lbs

All specs are subject to change without notice.

www.DRRUSA.com 330-220-3102 sales@DRRUSA.com

*WARNING:* NEVER permit children under the age of 16 to operate this ATV. Operation of a 650cc ATV by children under the age of 16 increases the risk of severe injury or death. DRR USA recommends that all riders take an approved safety course before riding. For safety course information contact your dealer or call 949-727-3727. ATVs can be hazardous to operate and improper ATV use can result in severe injury or death. *For Your Safety:* Always use an approved helmet, goggles and protective gear. Never use on public roads. Never operate without proper training or instruction. Never operate at speeds too fast for your skills or the conditions. Never operate on public roads a collision can occur with another vehicle. Never operate with a passenger, passengers affect balance and steering increasing the risk of losing control. Always use proper riding techniques to avoid vehicle overturns on hills, especially on rough terrain and during turns. Always avoid paved surfaces pavement may seriously affect handling and control. Please locate and read owner's manual.

EV STEALTH (\*) ADULT ELECTRIC ATV 16+

WWW.DRRUSA.COM SALES@DRRUSA.COM 330-220-3102

 $4 \,\mathrm{kW}$ SILENT MOTORS **COMPARABLE TO 400CC** 

**35 mile** BATTERY RANGE

25MpH RESTRICTED SPEED

Do not traverse through water. It increases risk of electric shock or death.

EASY, NO LIFT BATTERY CHANGE



Charge your battery on a standard 120v 20amp outlet or change out the battery for shorter downtime.

Use the QR code to watch or visit link below:

www.youtube.com/watch ?v=zxGPQU22x5A



### **Designed For**



**Easiest Trails** & Low Inclines





ENVIRONMENTALLY FRIENDLY

No Carbon Emissions- Electric ATVs DO NOT emit dangerous levels of airborne toxins such as: nitrogen oxide, carbon monoxide, and ozone. These pollutants degrade air quality and alter ground chemistry.



No Sound Pollution- Reduce stress on wildlife. For the first time you can hear the sound of nature while riding your ATV.





**Eco Tours** 





STEALTH E-ATV

#### Ages 16+

The Stealth E-ATV has a completely **silent, electric motor** which provides the ultimate nature experience! Comes equipt with a smooth suspension that glides over all terrains. **Designed For:** Tour Groups, Leisure Activities, Search & Rescue



#### POWER UNIT

Motor: 4kW Speed: 25 MpH (40 kph) Max Current Output: 60 Amps

#### POWERTRAIN

Drive: 2wd with Rear Differential Final Drive: Differential Ratio 1:12 Battery Type: Lithium Ion Battery Size: 72 V Battery Pack Range: 35mi (56.33 km) Charge Time: 35 Mile Battery Pack: 4-6 Hours Battery Lift: Has battery lift

#### SAFETY

Features: Fully-Enclosed Floorboards Features: 2lb Throttle- Eliminates thumb fatigue Lights: Head Lights, Daytime Running Reflectors: Side Reflectors Seat: Gripper Seat

#### CHASSIS

Front Suspension: Dual A-Arm Independent

**Rear Suspension:** Square Tube Swing Arm, Adjustable Mono-Shock

Front Brake: R/L DRR USA Dual Disc Wave Rotor Technology

**Rear Brake:** R/L DRR USA Dual Disc Wave Rotor Technology

Front Tire: AT25 X 8.00-12

Rear Tire: AT25 X 8.00-12

Length: 82 in (208.28 cm)

Width: 46 in (116.84 cm)

Height: 48 in (121.92 cm)

Wheelbase: 50" (127 cm)

Ground Clearance: 12 in (30.48 cm)

Net Weight: 469 lbs (212.74 kg)

Battery Weight: 47 lbs (21.32 kg)

Rack Capacity: Front- 80lbs, Rear- 160lbs

#### All specs are subject to change without notice.

www.DRRUSA.com 330-220-3102 sales@DRRUSA.com

*WARNING:* NEVER permit children under the age of 16 to operate this ATV. Operation of a 4 or 5kW ATV by children under the age of 16 increases the risk of severe injury or death. In addition all electric ATVs are speed restricted and should never be altered in such a way that would remove the speed restrictions. DRR USA recommends that all riders take an approved safety course before riding. For safety course information contact your dealer or call 949-727-3727. ATVs can be hazardous to operate and improper ATV use can result in severe injury or death. *For Your Safety:* Always use an approved helmet, goggles and protective gear. Never use on public roads. Never operate without proper training or instruction. Never operate at speeds too fast for your skills or the conditions. Never operate on public roads a collision can occur with another vehicle. Never operate with a passenger, passengers affect balance and steering, increasing the risk of losing control. Always use proper riding technique to avoid vehicle overturns on hills, especially on rough terrain and during turns. Always avoid paved surfaces pavement may seriously affect handling and control. Please locate and read owner's manual.

# EV ADVENTURE

WWW.DRRUSA.COM SALES@DRRUSA.COM 330-220-3102

**5 kW** SILENT MOTORS

COMPARABLE TO 500cc

70mi Battery Range

35MpH RESTRICTED SPEED

## **Designed For**



More Difficult Trails & Medium Inclines

(<del>]</del>)

Search & Rescue

Eco Tours

Farming

Hauling



Do not traverse through water. It increases risk of electric shock or death.

EASY, NO LIFT BATTERY CHANGE

Charge your battery on a standard 120v 20amp outlet or change out the battery for shorter downtime.

Use the QR code to watch or www.youtube.com /watch?v=zxGPQ



#### ENVIRONMENTALLY FRIENDLY



**No Carbon Emissions-** Electric ATVs **DO NOT** emit dangerous levels of airborne toxins such as: nitrogen oxide, carbon monoxide, and ozone. These pollutants degrade air quality and alter ground chemistry.

U22x5A



**No Sound Pollution**- Reduce stress on wildlife. For the first time you can hear the sound of nature while riding your ATV.



Less Parts & No Gas- 1000+ fewer parts means less maintenance required. This eliminates the pollution of old spark plugs, oil, air, fuel filters, etc.



The EV Adventure was made to increase the electric ATV incline climbing power. This electric four wheeler boasts a smooth chassis that glides over debris. Environmentally friendly, with a completely silent motor, the EV Adventure electric ATV is the perfect tool to experience the outdoors.



#### POWER UNIT

Motor: 5 kW Speed: 35 MpH (56.33 kph) Max Current Output: 60 Amps

#### POWERTRAIN

Drive: 2wd with Rear Differential
Final Drive: Differential Ratio 1:12
Battery Type: Lithium Ion
Battery Size: 72 V
Battery Pack Range: 70mi (56.33 km)
Charge Time: 70 Mile Battery Pack: 6-8 Hours
Battery Lift: Has battery lift

#### SAFETY

Features: Fully-Enclosed Floorboards
Features: 2lb Throttle- Eliminates thumb fatigue
Lights: Head Lights, Daytime Running
Reflectors: Side Reflectors
Seat: Gripper Seat

#### CHASSIS

Front Suspension: Dual A-Arm Independent

**Rear Suspension:** Square Tube Swing Arm, Adjustable Mono-Shock

Front Brake: R/L DRR USA Dual Disc Wave Rotor Technology

**Rear Brake:** R/L DRR USA Dual Disc Wave Rotor Technology

Front Tire: AT25 X 8.00-12

Rear Tire: AT25 X 8.00-12

Length: 82 in (208.28 cm)

Width: 46 in (116.84 cm)

Height: 48 in (121.92 cm)

Wheelbase: 50" (127 cm)

Ground Clearance: 12 in (30.48 cm)

Net Weight: 469 lbs (212.74 kg)

Battery Weight: 47 lbs (21.32 kg)

Rack Capacity: Front- 80lbs, Rear- 160lbs

#### All specs are subject to change without notice.

www.DRRUSA.com 330-220-3102 sales@DRRUSA.com

*WARNING:* NEVER permit children under the age of 16 to operate this ATV. Operation of a 4 or 5kW ATV by children under the age of 16 increases the risk of severe injury or death. In addition all electric ATVs are speed restricted and should never be altered in such a way that would remove the speed restrictions. DRR USA recommends that all riders take an approved safety course before riding. For safety course information contact your dealer or call 949-727-3727. ATVs can be hazardous to operate and improper ATV use can result in severe injury or death. *For Your Safety:* Always use an approved helmet, goggles and protective gear. Never use on public roads. Never operate without proper training or instruction. Never operate at speeds too fast for your skills or the conditions. Never operate on public roads a collision can occur with another vehicle. Never operate with a passenger, passengers affect balance and steering, increasing the risk of losing control. Always use proper riding technique to avoid vehicle overturns on hills, especially on rough terrain and during turns. Always avoid paved surfaces pavement may seriously affect handling and control. Please locate and read owner's manual.



#### 2X4, 4X4, 4 WHEEL LOCK, AND ELECTRIC POWER STEERING(EPS)



Conquer rough terrains and tough jobs with the ability to switch drives systems with the dual a-arm independent rear suspension. These shocks have five adjustable pre-loaded settings and variable spring rate for optimal performance.

The EV Safari also includes electric power steering(EPS) for easy maneuverability.

#### ENVIRONMENTALLY FRIENDLY



**No Carbon Emissions**- Electric ATVs **DO NOT** emit dangerous levels of airborne toxins such as: nitrogen oxide, carbon monoxide, and ozone. These pollutants degrade air quality and alter ground chemistry.



**No Sound Pollution**- Reduce stress on wildlife. For the first time you can hear the sound of nature while riding your ATV.



Less Parts & No Gas- 1000+ fewer parts means less maintenance required. This eliminates the pollution of old spark plugs, oil, air, fuel filters, etc.

#### SAFETY LIGHTS



These units come standard with daytime running lights, high beams, and brake lights .






The EV Safari 4x4 has a powerful 7.5 kW motor designed to tackle the tougher side of the outdoors. The completely silent motor produces minimal heat signature. Going off the beaten trail? Hunting or fishing? The completely silent motor of this all electric ATV with 2wd,4wd, and 4wL will take you where you need to go.



#### **POWER UNIT**

Motor: 7.5 kW **Speed:** 40 MpH (64.37 kph)

#### POWERTRAIN



#### SAFETY

Features: Fully-Enclosed Floorboards Features: 7lbs throttle Lights: Head Lights, Daytime Running **Reflectors:** Side Reflectors Seat: Gripper Seat

#### CHASSIS

Front Suspension: Dual A-Arm Independent

Rear Suspension: Dual A-Arm 5 Way Preload-Adjustable Shocks (9" Travel), IRS

Front Brake: R/L DRR Dual Disc Wave Rotor Technology

Rear Brake: R/L DRR Dual Disc Wave Rotor Technology

Front Tire: AT25 X 8.00-12

**Rear Tire:** AT25 X 8.00-12

**Length:** 81.5 in (207.01 cm)

Width: 46 in (116.84 cm)

**Height:** 49 in (124.46 cm)

**Net Weight:** 589 lbs (267.17 kg)

Battery Weight: 65 lbs (29.48 kg)

Ground Clearance: 12 in (30.48 cm)

Wheelbase: 50 in (127 cm)

Tow Capacity: 800 lbs

Rack Capacity: Front- 80lbs, Rear- 160lbs

All specs are subject to change without notice.

www.DRRUSA.com 330-220-3102 sales@DRRUSA.com

WARNING: NEVER permit children under the age of 16 to operate this ATV. Operation of a 7.5kW ATV by children under the age of 16 increases the risk of severe injury or death. In addition all elctric ATVs are speed restricted and should never be altered in such a way that would remove the speed restrictions. DRR USA recommends that all riders take an approved safety course before riding. For safety course information contact your dealer or call 949-727-3727. ATVs can be hazardous to operate and improper ATV use can result in severe injury or death. For Your Safety: Always use an approved helmet, goggles and protective gear. Never use on public roads. Never operate without proper training or instruction. Never operate at speeds too fast for your skills or the conditions. Never operate on public roads a collision can occur with another vehicle. Never operate with a passenger, passengers affect balance and steering, increasing the risk of losing control. Always use proper riding technique to avoid vehicle overturns on hills, especially on rough terrain and during turns. Always avoid paved surfaces pavement may seriously affect handling and control. Please locate and read owner's manual.



Disclaimer: Vehicles depicted in images are altered and have been modified by the owner after purchase. DRR USA manufactures CPSC and EPA compliant vehicles. Images supplied through our Contingency Rider Program.



## WHERE FAMILIES UNITE AND MEMORIES ARE MADE.